	Application No.	Amplicant/a)	
Notice of Allowability	Application No. Applicant(s)		
	09/780,766	NEILD ET AL.	
	Examiner	Art Unit	
	Luan Thai	2827	
The MAILING DATE of this communication appearance All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED or other appropriate comr GHTS. This application is	in this application. If not included nunication will be mailed in due or	d ourse. THIS
 This communication is responsive to the amendment filed The allowed claim(s) is/are 4-8 and 12-13 (renumbered as The drawings filed on 09 February 2001 are accepted by the drawings filed on 109 February 2001 are accepted by the drawings filed on 209 February 2001 are accepted by the drawings filed on 209 February 2001 are accepted by the drawings filed on 200 February 2001 are accepted by the 200	1-7, respectively). ne Examiner. ler 35 U.S.C. § 119(a)-(d)	or (f).	
2. Certified copies of the priority documents have been received in Application No			
3. Copies of the certified copies of the priority document in the control of the priority document in the copies of the priority document in the copies of the certified copies in the certified copies of the certified copies of the certified copies of the priority document in the certified copies in the certifie	cuments have been receiv	ed in this national stage applicati	on from the
(a) The translation of the foreign language provisional application has been received.			
6. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 7. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 8. CORRECTED DRAWINGS must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No (b) including changes required by the proposed drawing correction filed, which has been approved by the Examiner. (c) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet.			
9. DEPOSIT OF and/or INFORMATION about the deposit attached Examiner's comment regarding REQUIREMENT FOR TI	BIOLOGICAL MATHE DEPOSIT OF BIOLOG	TERIAL must be submitted. No SICAL MATERIAL.	ote the
Attachment(s)			
 Notice of References Cited (PTO-892) Notice of Draftperson's Patent Drawing Review (PTO-948) Information Disclosure Statements (PTO-1449), Paper No Examiner's Comment Regarding Requirement for Deposit of Biological Material 	4☐ Intervie 6☐ Examir	of Informal Patent Application (Pew Summary (PTO-413), Paper Ner's Amendment/Comment ner's Statement of Reasons for A	lo

Application/Control Number: 09/780,766 Page 2

Art Unit: 2827

DETAILED ACTION

This Office action is responsive to the amendment filed on 04/08/03.

- 1. Claims 4-8 and 12-13 are allowed and renumbered as 1-7, respectively.
- 2. The following is an examiner's statement of reasons for allowance: the prior art taken either singly or in combination fails to anticipate or fairly suggest:
 - a) the first ends of the pins protrude a length of about 0.3 to 0.4 mm, as recited in claim 4;
 - b) the first ends of the pins having surfaces wettable by solder, as recited in claim 5;
 - c) the plastic material of the frame being DMS Stanyl TE250F6, as recited in claim 6;
 - d) the sidewalls thickness being in the range from about 0.9 to 1.2 mm for sidewalls without pin openings, and from 2.7 to 3.0 mm for sidewalls with pin openings, as recited in claim 8; and
 - f) a tab attached to the sidewalls for handling the frame by pick-and-place machines and removable after the handling, as recited in claim 12; especially when these limitations are considered within the specific combination claimed.
- 3. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 09/780,766 Page 3

Art Unit: 2827

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Luan Thai whose telephone number is (703) 308-1211. The examiner can normally be reached on 7:00 AM - 3:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David L. Talbott can be reached on (703) 305-9883. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 308-7722 for regular communications and (703) 308-7724 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0956.

Luan Thai May 5, 2003

SUPERVISORY PATENT OF AMERICAN TECHNOLOGY TENNER 1900